





GENERAL SITE PLAN NOTES

1. SITE INFORMATION CONTAINED HEREIN, INCLUDING BUT NOT LIMITED TO, DIMENSIONS AND LOCATIONS OF EXISTING UTILITIES, IS BASED ON THE SURVEY ON SHEET V-001 AND IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. THE ARCHITECT TAKES NO RESPONSIBILITY FOR ITS ACCURACY.
2. VERIFY LOCATION OF ALL EXISTING UTILITIES. DO NOT DAMAGE OR DISTURB EXISTING UTILITIES.
3. ALL REMOVABLE BOLLARDS ARE TO REMAIN UNLOCKED

SITE PLAN LEGEND

CONSTRUCTION DATUM POINT FROM PROPERTY LINE CORNER

PARKING LEGEND



PH1 PARKING COUNT - STAFF			
TYPE	DESCRIPTION	STALL COUNT	% STALLS
ACCESSIBLE STAFF	ADA STALL STAFF	1	1%
EXISTING STAFF	EXISTING STAFF	24	34%
LARGE STAFF	NEW STAFF	46	65%
TOTAL PARKING STALLS		71	100%


PH1 PARKING COUNT - VISITOR			
TYPE	DESCRIPTION	STALL COUNT	% STALLS
ACCESSIBLE	ADA VISITOR STALL	3	5%
EXISTING VISITOR	EXISTING VISITOR	29	53%
LARGE VISITOR	NEW VISITOR	23	42%
TOTAL PARKING STALLS		55	100%

ESTIMATED STAFFING
PS1 - 45 EMPLOYEES
PS2 - 26 EMPLOYEES

ESTIMATED VISITORS
PS1 - ~20-30
PS2 - ~20-30

GGLO

SEATTLE | LOS ANGELES | BOISE
gglo.com



KEY PLAN

PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**

OWNER:
ELMORE COUNTY

APPROVAL STAMPS

2 8/27/2025 ADDENDUM #4

1 11/05/2025 PRE-APPLICATION COMMENTS

MARK DATE DESCRIPTION

REVISIONS

G 08/27/2025 ADDENDUM #4

F 11/05/2025 PRE-APPLICATION COMMENTS

E 10/03/2025 GMP / PERMIT DOCUMENTS

D 09/04/2025 50% CONSTRUCTION DOCS

C 08/01/2025 100% DESIGN DEVELOPMENT

B 07/03/2025 50% DESIGN DEVELOPMENT

A 05/16/2025 100% SCHEMATIC DESIGN

MARK DATE DESCRIPTION

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:

SHEET TITLE
SITE PLAN - PHASE 1



SHEET NO.

A-102


COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"

A1 PHASE 1 SITE PLAN

1" = 20'-0"



ADDENDUM #4



GENERAL SLAB PLAN NOTES


- SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION ON SLAB AND CONCRETE WALL THICKNESSES.
- PRIOR TO CONSTRUCTION, CONTRACTOR IS RESPONSIBLE FOR CONFIRMING LOCATIONS OF SLAB EDGES AND SLAB PENETRATIONS. CONTRACTOR TO COORDINATE THIS WORK WITH WORK OF OTHER DISCIPLINES. CONTACT ARCHITECT FOR CLARIFICATIONS.
- ALL EXTERIOR CONCRETE SHALL SLOPE TO DRAIN OR TOWARDS LANDSCAPING AT 1/4" PER 12" (2%) MINIMUM. WHERE ACCESSIBILITY COMPLIANCE IS REQUIRED, SLOPE AT 1/4" PER 12" (2%) MAXIMUM WITH NO TOLERANCES. CONTACT ARCHITECT FOR CLARIFICATIONS.
- ALL DIMENSIONS ARE TO FACE OF CONCRETE, UNLESS OTHERWISE NOTED (UON).
- DO NOT SCALE DRAWINGS.
- ALL DIMENSIONS ARE TO THE GRID LINES, FACE OF CONCRETE, AND/OR CENTERLINE OF COLUMNS AS INDICATED.
- SEE SHEET A-102 - SITE PLAN FOR LOCATION OF CONSTRUCTION DATUM POINT.

SLAB PLAN LEGEND

CONCRETE CURB

GGLO

SEATTLE | LOS ANGELES | BOISE
gglo.com



KEY PLAN

PROJECT:

ELMORE COUNTY PS2

PROJECT ADDRESS:

2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647

OWNER:

ELMORE COUNTY

APPROVAL STAMPS

2 8/27/2025 ADDENDUM #4
MARK DATE DESCRIPTION

REVISIONS

G 08/27/2025 ADDENDUM #4
F 11/05/2025 PRE-APPLICATION COMMENTS
E 10/03/2025 GMP / PERMIT DOCUMENTS
D 09/04/2025 50% CONSTRUCTION DOCS
C 08/01/2025 100% DESIGN DEVELOPMENT
B 07/03/2025 50% DESIGN DEVELOPMENT
A 05/16/2025 100% SCHEMATIC DESIGN

MARK DATE DESCRIPTION

ISSUE INFORMATION

PROJECT NO.:

2024070.02

GGLO PRINCIPAL IN CHARGE:

JH

GGLO PROJECT MANAGER:

CSG

OWNER APPROVAL:

SHEET TITLE



PS2 SLAB PLAN

SHEET NO.

A-131

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"

A1 PS2 SLAB PLAN
3/16" = 1'-0"



ADDENDUM #4

EXTERIOR FINISH SCHEDULE									
MARK	TYPE	MANUFACTURER	PRODUCT NAME/#	COLOR NAME/#	FINISH	SIZE	LOCATION	NOTES	
CON-1	SEALED CONCRETE	BY GC	N/A	SEALED CONCRETE	CLEAR	N/A	CONCRETE CURBS, TYP.	CEMENT PANEL SOFFIT AND TRIM PIECES; BOD - HARDIE SOFFIT	
PT-EX1	EXTERIOR PAINT	BY GC	N/A	MATCH STU-1 - MOONLIGHT	FLAT	N/A	EXTERIOR SOFFIT/ TRIM PIECES ADJACENT TO EIFS		
PT-EX2	EXTERIOR PAINT	BY BC	N/A	MATCH DARK BRONZE	EGGSHELL	N/A	FIBER CEMENT (HARDI) FASCIA	SEE DOOR SCHEDULE	
PT-EX3	EXTERIOR PAINT	BY GC	N/A	MATCH STU-1	DOORS/ FRAMES - SEMI-GLOSS	N/A	EXTERIOR DOOR FRAME AND PANEL		
MTL-10	PRE-FINISHED METL	TBD	TBD	MATCH DARK BRONZE	SEMI-GLOSS	N/A	METAL FASCIA		
MTL-11	PRE-FINISHED METAL	TBD	TBD	MATCH DARK BRONZE	SEMI-GLOSS	N/A	GUTTER AND DOWNSPOUTS		
MTL-12	PRE-FINISHED METAL	TBD	TBD	MATCH DARK BRONZE	SEMI-GLOSS	N/A	WINDOW/ STOREFRONT/ SKYLIGHT		
STU-1	STUCCO	DRYVIT	LYMESTONE	MOONLIGHT #612	TEXTURED	N/A	EXTERIOR EIFS FINISH		
STN-1	STONE VENEER	MUTUAL MATERIALS/CULTURED STONE	COUNTRY LEDGESTONE	BUCKS COUNTY	N/A	N/A	EXTERIOR WALL FINISH		
STC-1	STONE CAP	MUTUAL MATERIALS/CULTURED STONE	WATERTAVLE / SILL	TAUPE	N/A	N/A	CAP ABOVE STN-1		
WD-1	WOOD PANEL SOFFIT	BY GC	PRESSURE-TREATED AT EXTERIOR APPLICATIONS	CLEAR CEDAR	CLEAR COAT	1X	SEE RCP AND ELEVATIONS	INTERIOR AND EXTERIOR	
SH-1	ROOF SHINGLES	CERTAINTED	GRAND MANOR	WEATHERED WOOD	N/A	N/A	SLOPED ROOFS		

GENERAL EXTERIOR ELEVATION NOTES

- LOCATE ALL EXHAUST VENTS 3'-0" MINIMUM FROM DOORS AND OPERABLE PORTIONS OF WINDOWS. LOCATED ALL EXHAUST 10'-0" MINIMUM FROM ANY AIR INTAKE.
- SEE SPECIFICATIONS FOR MANUFACTURER CALLOUTS AND PRODUCT SPECIFIC INSTALLATION.
- DO NOT SCALE DRAWINGS.
- SEE REFERENCED SHEETS FOR THE FOLLOWING:
 - A. DOOR TYPES AND SCHEDULES - SHEET A-611.
 - B. FINISH SCHEDULE - SHEET A-611.
 - C. WALL FINISH ASSEMBLIES - SHEET A-601.
 - D. ROOF ASSEMBLIES - SHEET A-601.
 - E. WINDOWS/ STOREFRONT TYPES - SHEETS A-610 AND A-611.
- SEE RCP FOR EXTERIOR SOFFIT COLORS.
- COORDINATE ALL EXTERIOR SIGNAGE INSTALLATION WITH SIGNAGE INSTALLER.
- SEE CIVIL DRAWINGS FOR GRADING ADJACENT TO THE BUILDING.

EXTERIOR ELEVATION TAG LEGEND

- XXX FINISH - SEE FINISH SCHEDULES ON SHEET A-611
- XX ASSEMBLY TYPE - SEE SHEET A-601

GGLO


SEATTLE | LOS ANGELES | BOISE
gglo.com




PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**D 2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**


OWNER:
ELMORE COUNTY




D1 NORTH ELEV. RETURN - WEST B
3/16" = 1'-0"




D2 NORTH ELEV. RETURN - EAST B
3/16" = 1'-0"




D3 WEST ELEV. RETURN - NORTH
3/16" = 1'-0"




D4 WEST ELEV. RETURN - SOUTH
3/16" = 1'-0"




C1 NORTH ELEV. RETURN - WEST A
3/16" = 1'-0"



C2 NORTH ELEV. RETURN - EAST A
3/16" = 1'-0"



C3 WEST ELEVATION
3/16" = 1'-0"



A1 NORTH ELEVATION
3/16" = 1'-0"

APPROVAL STAMPS

2 8/27/2026 ADDENDUM #4
MARK DATE DESCRIPTION

REVISIONS

G 08/27/2026 ADDENDUM #4
F 11/05/2025 PRE-APPLICATION COMMENTS
E 10/03/2025 GMP / PERMIT DOCUMENTS
D 09/04/2025 50% CONSTRUCTION DOCS
C 08/01/2025 100% DESIGN DEVELOPMENT
B 07/03/2025 50% DESIGN DEVELOPMENT
A 05/16/2025 100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:

SHEET TITLE
**EXTERIOR ELEVATIONS -
NORTH AND WEST**

SHEET NO.:
A-201

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36X42"

ADDENDUM #4

GENERAL BUILDING SECTION NOTES

- SEE SHEET A-601 FOR WALL ASSEMBLIES.
- SEE SHEET A-605 FOR FLOOR, CEILING, SOFFIT AND ROOF ASSEMBLIES.
- ALL FLOORS ARE F-XX UON.

GGLO


SEATTLE | LOS ANGELES | BOISE
gglo.com




PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**


OWNER:
ELMORE COUNTY



D2 BUILDING SECTION N/S - IT AND LICENSING
3/16" = 1'-0"



B2 BUILDING SECTION N/S - HR AND DMV
3/16" = 1'-0"



A2 BUILDING SECTION N/S - PUBLIC CORRIDOR
3/16" = 1'-0"

APPROVAL STAMPS

2 8/27/2026 ADDENDUM #4
MARK DATE DESCRIPTION

REVISIONS

G 08/27/2026 ADDENDUM #4
F 11/05/2025 PRE-APPLICATION COMMENTS
E 10/03/2025 GMP / PERMIT DOCUMENTS
D 09/04/2025 50% CONSTRUCTION DOCS
C 08/01/2025 100% DESIGN DEVELOPMENT
B 07/03/2025 50% DESIGN DEVELOPMENT
A 05/16/2025 100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:

SHEET TITLE
BUILDING SECTIONS

SHEET NO.

A-300

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"

GENERAL BUILDING SECTION NOTES

- SEE SHEET A-601 FOR WALL ASSEMBLIES.
- SEE SHEET A-605 FOR FLOOR, CEILING, SOFFIT AND ROOF ASSEMBLIES.
- ALL FLOORS ARE F-XX UON.

GGLO

SEATTLE | LOS ANGELES | BOISE
gglo.com



PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**

OWNER:
ELMORE COUNTY

APPROVAL STAMPS

2	8/27/2026	ADDENDUM #4
MARK	DATE	DESCRIPTION

REVISIONS

G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:


SHEET TITLE
BUILDING SECTIONS

SHEET NO.


A-301

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"


ADDENDUM #4



D1 BUILDING SECTION E/W - ROOF EQUIPMENT1
3/16" = 1'-0"



B1 BUILDING SECTION E/W - ROOF EQUIPMENT
3/16" = 1'-0"



A1 BUILDING SECTION E/W - DMV, PUBLIC CORRIDOR, LICENSING
3/16" = 1'-0"

PROJECT:
ELMORE COUNTY PS2PROJECT ADDRESS:
D **2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**OWNER:
ELMORE COUNTY



APPROVAL STAMPS

2 8/27/2026 ADDENDUM #4
MARK DATE DESCRIPTION


B REVISIONS

G 08/27/2026 ADDENDUM #4
F 11/05/2025 PRE-APPLICATION COMMENTS
D 09/04/2025 GMP / PERMIT DOCUMENTS
E 10/03/2025 50% CONSTRUCTION DOCS
C 08/01/2025 100% DESIGN DEVELOPMENT
B 07/03/2025 50% DESIGN DEVELOPMENT
A 05/16/2025 100% SCHEMATIC DESIGNMARK DATE DESCRIPTION
ISSUE INFORMATIONPROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: JH
GGLO PROJECT MANAGER: CSG
OWNER APPROVAL:SHEET TITLE
WALL SECTIONS


SHEET NO.

A-310COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"A1 PUBLIC ENTRY WALL SECTION - NORTH
3/4" = 1'-0"A4 PUBLIC ENTRY WALL SECTION - SOUTH
3/4" = 1'-0"


ADDENDUM #4




C1 HIGH ROOF WALL SECTION
3/4" = 1'-0"




D4 MECHANICAL WELL SECTION
3/4" = 1'-0"



D5 ROOF RIDGE SECTION
3/4" = 1'-0"



A4 TYPICAL WALL SECTION
3/4" = 1'-0"



A5 TYPICAL WALL SECTION WITH WINDOW
3/4" = 1'-0"

APPROVAL STAMPS

MARK	DATE	DESCRIPTION
2	8/27/2026	ADDENDUM #4

REVISIONS

MARK	DATE	DESCRIPTION
G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:

WALL SECTIONS

SHEET NO.

A-311

TOILET ACCESSORIES					
MARK	TYPE	MANUFAC...	PRODUCT NAME / NUMBER	FINISH	SIZE
TA-1	GRAB BARS	GAMCO	MODEL #: 150C-SERIES-CONCEALED	#4-SATIN FINISH	36", 42" AND 18" (VERTICAL)
TA-2	SURFACE-MOUNTED TOILET TISSUE DISPENSER AND UTILITY SHELF	BOBRICK	B-540	SATIN FINISH STAINLESS STEEL	
TA-3	SEAT COVER DISPENSER	BOBRICK	B-3013	SATIN FINISH STAINLESS STEEL	
TA-4	SURFACE-MOUNTED SANITARY NAPKIN DISPOSAL	BOBRICK	B-254	SATIN FINISH STAINLESS STEEL	
TA-5	SEMI-RECESSED PAPER TOWEL DISPENSER WASTE RECEPTACLE	BOBRICK	B-38032	SATIN FINISH STAINLESS STEEL	
TA-6	WELDED FRAME MIRROR	BOBRICK	B-290.MBLK SERIES	MATTE BLACK	SEE ELEVATIONS
TA-7	COAT HOOK	BOBRICK	B-9542	SATIN FINISH STAINLESS STEEL	
TA-8	BABY-CHANGING STATION	KOALA KARE	KB310-SSWM	STAINLESS STEEL	

GENERAL RESTROOM NOTES

- SEE A-500 FOR ADDITIONAL ACCESSIBILITY INFORMATION REQUIREMENTS.
- PLAN DIMENSIONS ARE TO FACE OF STUD, FACE OF CONCRETE WALL, CENTERLINE OF COLUMN, OR CENTERLINE OF ROUGH OPENINGS, U.O.N. CONTACT ARCHITECT FOR CLARIFICATIONS.
- INSTALL BLOCKING FOR GRAB BARS IN BATHROOM WALLS SURROUNDING WATER CLOSETS.
- SEE SHEET A-611 FOR ADDITIONAL INFORMATION ON FINISHES.
- SEE SHEET A-500 FOR ADDITIONAL ACCESSIBILITY REQUIREMENTS.
- SEE SHEETS A-112 AND A-113 FOR DOOR AND WALL TAGS.
- SHEE SHEET A-151 FOR FLOOR FINISH INFORMATION.

RESTROOM LEGEND

RESTROOM ACCESSORY

GENERAL INTERIOR ELEVATION NOTES

- SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS, U.O.N.
- WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN, 3" MAX), CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEED CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
- ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINERY.
- ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINERY.
- ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
- SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
- REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION.
A. TOILET/RESTROOM ACCESSORY SCHEDULE - SHEET A-611
B. INTERIOR FINISH SCHEDULE - SHEET A-611
- SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS
- DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH, U.O.N.
- ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.

GGLO


SEATTLE | LOS ANGELES | BOISE
gglo.com




PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**


OWNER:
ELMORE COUNTY




B1 STAFF REST - BLANK WALL
3/8" = 1'-0"




B2 STAFF REST - ENTRY/ SINK SIDE
3/8" = 1'-0"




B3 STAFF REST - SIDE - TOILET
3/8" = 1'-0"




B4 STAFF REST - FROM - SINK/ TOILET
3/8" = 1'-0"




B6 STAFF RESTROOM - TYPICAL
1/2" = 1'-0"




A1 PUBLIC REST - SIDE - SINK
3/8" = 1'-0"




A2 PUBLIC REST - ENTRY
3/8" = 1'-0"



A3 PUBLIC REST - SIDE - TOILET
3/8" = 1'-0"



A4 PUBLIC REST - FRONT - SINK/ TOILET
3/8" = 1'-0"



A5 PUBLIC RESTROOM PLAN - TYPICAL
1/2" = 1'-0"

APPROVAL STAMPS

MARK	DATE	DESCRIPTION
2	8/27/2026	ADDENDUM #4

MARK	DATE	DESCRIPTION
G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:


SHEET TITLE
**ENLARGED PLANS & INT
ELEVATIONS - PUBLIC
RESTROOMS**

SHEET NO.

A-450

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x48"

ADDENDUM #4



KEYNOTE LEGEND (NOT ALL KEYNOTES WILL APPEAR ON PLAN)	
062013.01.A1	1x WOOD TRIM
062013.01.A1.1	1x WOOD WINDOW TRIM
08000A.8	LEVEL 3 BALLISTIC SLIDING TRANSACTION WINDOW WITH DEAL TRAY
101440A.1	'NOW SERVING' SIGNAGE, CEILING-MOUNTED, PROVIDE BLOCKING AS NEEDED
101440A.2	'NOW SERVING' SIGNAGE, WALL-MOUNTED, PROVIDE BLOCKING AS NEEDED
104413.01.A2	SEMI-RECESSED FIRE EXTINGUISHER CABINET
105500.16A	DMV SECURED MAIL SLOT WITH DROPBOX
112000A	PRINTER, OFOI
112000C	MICROWAVE, OFOI, PROVIDE POWER AS NEEDED
112000D	REFRIGERATOR, OFOI
112000E	SAFE, OFOI
123000E	PAMPHLET RACK, OFOI, PROVIDE BLOCKING
MIRR-1	MIRROR

GENERAL INTERIOR ELEVATION NOTES

- SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS, UON.
- WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN, 3" MAX), CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEED CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
- ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINETS.
- ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINETS.
- ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
- SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
- REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION.
A. TOILET/RESTROOM ACCESSORY SCHEDULE - SHEET A-611
B. INTERIOR FINISH SCHEDULE - SHEET A-611
- ALL WALLS TO RECEIVE PAINT (PT-1), U.O.N.
- SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS
- DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH, UON.
- ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.

GGLO

SEATTLE | LOS ANGELES | BOISE
gglo.com



PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**

OWNER:
ELMORE COUNTY

APPROVAL STAMPS

MARK	DATE	DESCRIPTION
2	8/27/2026	ADDENDUM #4

MARK	DATE	DESCRIPTION
G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:

SHEET TITLE
**INTERIOR ELEVATIONS -
DMV, WELLNESS**

SHEET NO.:
A-451

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x48"

1

2

3

4

5













6

KEYNOTE LEGEND (NOT ALL KEYNOTES WILL APPEAR ON PLAN)

10413.01.A2	SEMI-RECESSED FIRE EXTINGUISHER CABINET
112000A	PRINTER, OFCI
112000B	WALL-MOUNTED TELEVISION, OF-CI, PROVIDE BLOCKING AS REQUIRED FOR THE ENTIRETY OF WALL
112000C	MICROWAVE, OFCI, PROVIDE POWER AS NEEDED
112000D	REFRIGERATOR, OFCI
112000F	DISHWASHER, OFCI
224216.16	COMMERCIAL SINKS

GENERAL INTERIOR ELEVATION NOTES

- SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS, UON.
- WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN, 3" MAX), CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEED CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
- ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINETRY.
- ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINETRY.
- ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
- SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
- REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION.
A. TOILET/RESTROOM ACCESSORY SCHEDULE - SHEET A-611
B. INTERIOR FINISH SCHEDULE - SHEET A-611
- ALL WALLS TO RECEIVE PAINT (PT-1), U.O.N.
- SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS.
- DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH, UON.
- ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.

D1 CHEMS ELEVATION - SOUTH
3/8" = 1'-0"D3 CONF ELEV - WEST
3/8" = 1'-0"D4 BREAK ROOM ELEVATION - EAST
3/8" = 1'-0"C2 BREAK ROOM ELEVATION - NORTH
3/8" = 1'-0"C3 BREAK ROOM ELEVATION - WEST
3/8" = 1'-0"C5 BREAK ROOM ELEVATION - SOUTH
3/8" = 1'-0"B1 HR/PAYROLL ELEVATION - EAST
3/8" = 1'-0"B3 HR/PAYROLL ELEVATION - NORTH B
3/8" = 1'-0"B5 HR/PAYROLL ELEVATION - NORTH
3/8" = 1'-0"A1 HR/PAYROLL ELEVATION - WEST
3/8" = 1'-0"A3 HR/PAYROLL ELEVATION - SOUTH B
3/8" = 1'-0"A5 HR/PAYROLL ELEVATION - SOUTH
3/8" = 1'-0"

GGLO

SEATTLE | LOS ANGELES | BOISE
gglo.comPROJECT:
ELMORE COUNTY PS2PROJECT ADDRESS:
2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647OWNER:
ELMORE COUNTY

APPROVAL STAMPS

2 8/27/2026 ADDENDUM #4
MARK DATE DESCRIPTION

REVISIONS

G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.:
GGLO PRINCIPAL IN CHARGE: JH
GGLO PROJECT MANAGER: CSG
OWNER APPROVAL:SHEET TITLE
INTERIOR ELEVATIONS -
HR, BREAK ROOM,
CHEMS, CONFERENCE

SHEET NO.

A-452

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"

E
D
C
B
A

1

2

3

4

5


6

KEYNOTE LEGEND (NOT ALL KEYNOTES WILL APPEAR ON PLAN)	
062013.01.A1	1x WOOD TRIM
08000A	LEVEL 3 BALLISTIC TRANSACTION WINDOW
10200A	LICENSING PHOTO BACKDROP, COLOR TO BE SKY BLUE pMS 2915 (PANTONE PLUS SERIES)
11000A.1	EYE TEST EQUIPMENT
11000A.2	SIGNATURE PAD
11000A.3	CAMERA ON FIXED PEDESTAL
11000A.4	OMATIC PFD
11000A.5	EYE TEST PAD
11000A.6	MONITOR
11000A.7	AUTHENTICATOR SCAN
11000A.11	VOID PUNCH MACHINE
11000A.12	REGISTER
11000A.13	UPS SYSTEM
11000A.14	PRINTER
11000A.15	DOCUMENT SCANNER
11000A.16	OFFICE TELEPHONE
11000A.17	KEYBOARD
11000A.18	COMPUTER MOUSE


KEYNOTE LEGEND (NOT ALL KEYNOTES WILL APPEAR ON PLAN)	
11200B	WALL MOUNTED TELEVISION, OF-CI, PROVIDE BLOCKING AS REQUIRED FOR THE ENTIRETY OF WALL
12300B.2	FLOATING COUNTERTOP BRACKET
12300F.1	3/4" SEPARATION PANEL, PLUM-1
27000B	INTERCOM

GENERAL INTERIOR ELEVATION NOTES


- SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS, UON.
- WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN, 3" MAX), CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEED CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
- ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINETRY.
- ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINETRY.
- ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
- SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
- REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION.
A. TOILET/RESTROOM ACCESSORY SCHEDULE - SHEET A-611
B. INTERIOR FINISH SCHEDULE - SHEET A-611
- ALL WALLS TO RECEIVE PAINT (PT-1), U.O.N.
- SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS
- DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH, UON.
- ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.




D2 LIC TESTING ELEVATION - SOUTH




D3 FINGER PRINTING - WEST




D4 FINGER PRINTING - SOUTH




D5 LIC COUNTER DESK (ADA) - COUNTER FACING




C1 LIC WAITING ELEVATION - EAST




C2 LIC WAITING ELEVATION - WEST




C3 FINGER PRINTING - EAST




C4 FINGER PRINTING - NORTH




C5 LIC COUNTER DESK (ADA) - LONG SIDE




B1 LIC WAITING ELEVATION - SOUTH




A1 LIC WAITING ELEVATION - NORTH



B4 LIC COUNTER DESK - LONG SIDE



A4 LIC WAITING ELEV - EAST B



A5 LICENSING - COUNTER DESK PLAN

APPROVAL STAMPS

MARK	DATE	DESCRIPTION
2	8/27/2026	ADDENDUM #4

REVISIONS

G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
E	10/03/2025	GMP / PERMIT DOCUMENTS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.:	2024070.02
GGLO PRINCIPAL IN CHARGE:	JH
GGLO PROJECT MANAGER:	CSG
OWNER APPROVAL:	

SHEET TITLE ENLARGED PLANS & INTERIOR ELEVATIONS - LICENSING

PL07.DWG DATE: 07/20/25 BY: JH/CSG

1

2

3

4

5

6

ADDENDUM #4






GENERAL INTERIOR ELEVATION NOTES

1. SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS. UON.
 2. WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN. 3" MAX.) CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEED CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
 3. ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINETRY.
 4. ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINETRY.
 5. ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
 6. SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
 7. REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION:
 - A. TOILET/ RESTROOM ACCESSORY SCHEDULE - SHEET A-611
 - B. INTERIOR FINISH SCHEDULE - SHEET A-611
 8. ALL WALLS TO RECEIVE PAINT (PT-1), U.O.N.
 9. SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS.
 10. DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH. UON.
 11. ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.



PROJECT ADDRESS:
2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647

OWNER:
ELMORE COUNTY



APPROVAL STAMPS

Z	8/27/2026	ADDENDUM #4
MARK	DATE	DESCRIPTION
REVISIONS		
G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN
MARK	DATE	DESCRIPTION
ISSUE INFORMATION		

PROJECT NO.:	2024070.02
GGLO PRINCIPAL IN CHARGE:	J
GGLO PROJECT MANAGER:	CS
OWNER APPROVAL:	

SHEET TITLE

**INTERIOR ELEVATIONS -
LICENSING, IT**

SHEET NO.

A-454

COPYRIGHT GGLO. ALL RIGHTS RESERVE
ORIGINAL SHEET SIZE IS 30"x4"

KEYNOTE LEGEND (NOT ALL KEYNOTES WILL APPEAR ON PLAN)	
112000B	WALL-MOUNTED TELEVISION, OF-CI, PROVIDE BLOCKING AS REQUIRED FOR THE ENTIRETY OF WALL
114600A	VENDING MACHINE, PROVIDE POWER AND DATA AS REQUIRED
224713A	STANDARD AND ACCESSIBLE DRINKING FOUNTAIN WITH ADA SKIRT FOR CANE DETECTION REQUIREMENTS
280000A.1	ADA PUSH BUTTON MOUNTED ON WALL, PROVIDE POWER AS REQUIRED

GENERAL INTERIOR ELEVATION NOTES

- SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS, UON.
- WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN, 3" MAX), CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEED CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
- ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINETRY.
- ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINETRY.
- ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
- SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
- REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION.
A. TOILET/RESTROOM ACCESSORY SCHEDULE - SHEET A-611
B. INTERIOR FINISH SCHEDULE - SHEET A-611
- ALL WALLS TO RECEIVE PAINT (PT-1), U.O.N.
- SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS.
- DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH, UON.
- ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.

GGLO

SEATTLE | LOS ANGELES | BOISE
gglo.com




PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**

OWNER:
ELMORE COUNTY

C1 PUBLIC CORRIDOR AND VESTIBULES ELEVATION - EAST

3/8" = 1'-0"



A1 PUBLIC CORRIDOR AND VESTIBULES ELEVATION - WEST

3/8" = 1'-0"

APPROVAL STAMPS

2 8/27/2026 ADDENDUM #4
MARK DATE DESCRIPTION

REVISIONS

G 08/27/2026 ADDENDUM #4
F 11/05/2025 PRE-APPLICATION COMMENTS
D 10/03/2025 GMP / PERMIT DOCUMENTS
E 09/04/2025 50% CONSTRUCTION DOCS
C 08/01/2025 100% DESIGN DEVELOPMENT
B 07/03/2025 50% DESIGN DEVELOPMENT
A 05/16/2025 100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:

SHEET TITLE
**INTERIOR ELEVATIONS -
PUBLIC CORRIDOR**

SHEET NO.

A-470

COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"

ADDENDUM #4

E
D
C
B
A

1

2

3

4

5

6

KEYNOTE LEGEND (NOT ALL KEYNOTES WILL APPEAR ON PLAN)	
104413.01.A2	SEMI-RECESSED FIRE EXTINGUISHER CABINET
224713A	STANDARD AND ACCESSIBLE DRINKING FOUNTAIN WITH ADA SKIRT FOR CANE DETECTION REQUIREMENTS
265000.01.A1	LIGHTING FIXTURE

GENERAL INTERIOR ELEVATION NOTES

- SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS, U.O.N.
- WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN, 3" MAX), CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEC'D CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
- ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINETRY.
- ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINETRY.
- ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
- SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
- REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION.
A. TOILET/RESTROOM ACCESSORY SCHEDULE - SHEET A-611
B. INTERIOR FINISH SCHEDULE - SHEET A-611
- ALL WALLS TO RECEIVE PAINT (PT-1), U.O.N.
- SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS
- DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH, U.O.N.
- ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.

GGLO


SEATTLE | LOS ANGELES | BOISE
gglo.com




PROJECT:
ELMORE COUNTY PS2

PROJECT ADDRESS:
**2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647**


OWNER:
ELMORE COUNTY




D1 CORRIDOR WEST ELEVATION - WEST
3/8" = 1'-0"




D3 CORRIDOR WEST ELEVATION - NORTH
3/8" = 1'-0"




C1 CORRIDOR WEST ELEVATION - EAST
3/8" = 1'-0"



C3 CORRIDOR WEST ELEVATION - SOUTH
3/8" = 1'-0"



A3 PUBLIC CORRIDOR ELEVATION - NORTH
3/8" = 1'-0"



A5 PUBLIC CORRIDOR ELEVATION - SOUTH
3/8" = 1'-0"

APPROVAL STAMPS

MARK	DATE	DESCRIPTION
2	8/27/2025	ADDENDUM #4

REVISIONS

G	08/27/2025	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.: **2024070.02**
GGLO PRINCIPAL IN CHARGE: **JH**
GGLO PROJECT MANAGER: **CSG**
OWNER APPROVAL:

SHEET TITLE
**INTERIOR ELEVATIONS -
PUBLIC AND PRIVATE
CORRIDORS**

SHEET NO.:
A-471


COPYRIGHT GGLO. ALL RIGHTS RESERVED.
ORIGINAL SHEET SIZE IS 36"x42"

PLOT DATE/TIME: 02/20/25 10:16:13 AM

- SEE A-500 FOR COMPLETE ACCESSIBLE INFORMATION REQUIREMENTS, UON.
2. WHERE CASEWORK IS ADJACENT TO WALL, PROVIDE A FILLER (1" MIN, 3" MAX), CONTRACTOR TO VERIFY ALL CONDITIONS IN FIELD TO CONFIRM CAB DOORS CAN OPEN PAST 90 DEGREES WITH SPEED CAB HARDWARE. ALL FILLERS TO BE SCRIBED TO WALL OR SOFFIT, TYP.
3. ALL EXPOSED CABINET ENDS TO BE FINISHED AND ALL FINISHED END PANELS TO MATCH ADJACENT CABINETRY.
4. ALL OPEN CASEWORK INTERIOR FINISH TO MATCH ADJACENT CABINETRY.
5. ELECTRICAL OUTLETS SHOWN FOR REFERENCE ONLY. ELECTRICAL CONTRACTOR TO COORDINATE WITH ARCHITECTURAL. ALL ELECTRICAL OUTLETS AND SWITCHES SHALL MEET REACH RANGE REQUIREMENTS.
6. SEE ARCHITECTURAL REFLECTED CEILING PLANS FOR SOFFIT LOCATIONS.
7. REFER TO THE FOLLOWING SHEETS FOR MORE INFORMATION.
- A. TOILET/RESTROOM ACCESSORY SCHEDULE - SHEET A-611
- B. INTERIOR FINISH SCHEDULE - SHEET A-611
8. ALL WALLS TO RECEIVE PAINT (PT-1), U.O.N.
9. SEE SHEETS A-610 AND A-611 FOR TEMPERED AND LEVEL 3 BALLISTIC GLAZING LOCATIONS.
10. DIMENSIONS SHOWN ON INTERIOR ELEVATIONS ARE FINISH TO FINISH, UON.
11. ALL DOOR FRAMES TO RECEIVE PAINT (PT-01) U.O.N.


PROJECT ADDRESS:
2180 AMERICAN LEGION BLVD,
MOUNTAIN HOME, ID 83647

OWNER:
ELMORE COUNTY




C4 CORRIDOR (EAST) - EAST B
3/8" = 1'-0"


C5 CORRIDOR (EAST) - EAST
3/8" = 1'-0"




B1 CORRIDOR (EAST) - NORTH
3/8" = 1'-0"




B3 CORRIDOR (EAST) - WEST B
3/8" = 1'-0"




B4 CORRIDOR (EAST) - WEST
3/8" = 1'-0"



A1 CORRIDOR (EAST) - NORTH B
3/8" = 1'-0"



A3 CORRIDOR (EAST) - SOUTH B
3/8" = 1'-0"



A5 CORRIDOR (EAST) - SOUTH
3/8" = 1'-0"

APPROVAL STAMPS

2	8/27/2026	ADDENDUM #4
MARK	DATE	DESCRIPTION
REVISIONS		

G	08/27/2026	ADDENDUM #4
F	11/05/2025	PRE-APPLICATION COMMENTS
E	10/03/2025	GMP / PERMIT DOCUMENTS
D	09/04/2025	50% CONSTRUCTION DOCS
C	08/01/2025	100% DESIGN DEVELOPMENT
B	07/03/2025	50% DESIGN DEVELOPMENT
A	05/16/2025	100% SCHEMATIC DESIGN

ISSUE INFORMATION

PROJECT NO.:	2024070.02
GGLO PRINCIPAL IN CHARGE:	J
GGLO PROJECT MANAGER:	CS
OWNER APPROVAL:	

SHEET TITLE

**INTERIOR ELEVATIONS -
PRIVATE CORRIDORS
AND MISC AREAS**

SHEET NO.

A-472

	DOOR AND FRAME SCHEDULE - BUILDING																				
	DOOR		DOOR PANELS				DOOR FRAME				DETAILS					COMMENTS	LOCATION				
	NUMBER	FIRE RATING (MIN)	TOTAL OF PANELS		PANEL TYPE	THK	FINISH	TYPE	FACE DIMENSIONS			FINISH	HEAD	JAMB	HARDWARE SET NOTES						
			WIDTH	HEIGHT					JAMB WIDTH	HEAD HEIGHT	DEPTH										
E	FINISH NOTES: PT - MATCH = PAINTED TO MATCH ADJACENT WALL FINISHES, UON.																				
	100.1	3'-0"	7'-0"	PNL-D-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 8/16"	PRIMED/ PT-1			2, 9, 11, 12, 15, 28, 30, 31	DUTCH DOOR	DMV WORKSTATIONS					
	100.2	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 12, 15, 16, 20, 28, 32	KEY FOB REQUIRED	DMV WORKSTATIONS(EMPLOYEE ENTRY)					
	100A	3'-0"	7'-0"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 10, 12, 15, 20, 28, 32	DMV SUPERVISOR						
	100B	3'-0"	7'-0"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00AL(CW)	0"	0"	4 3/4"	DARK BRONZE			4, 10, 12, 16, 20, 26, 28, 31	DOOR REMAINS UNLOCKED DURING OPERATION HOURS	DMV WAITING (PUBLIC ENTRY)					
	100C	3'-0"	7'-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32	RECORDS (DMV)						
	101A.1	6'-0"	7'-0"	PNL-FG-AL	1 3/4"	DARK BRONZE	FRM-00AL(CW)	0"	0"	4 3/4"	DARK BRONZE			3, 5, 9, 10, 20, 21, 22, 24, 25, 26, 28, 29, 33	VESTIBULE (SOUTH MAIN ENTRY)						
	101A.2	6'-0"	7'-0"	PNL-FG-AL	1 3/4"	DARK BRONZE	FRM-00AL(CW)	0"	0"	4 3/4"	DARK BRONZE			3, 5, 9, 10, 20, 25, 26, 28, 33	VESTIBULE						
	101B	3'-0"	7'-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 4, 11, 12, 15, 19, 27, 28, 32	OCCUPY INDICATOR	PUBLIC RR					
	101C.1	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 4, 11, 12, 15, 20, 28, 31	KEYED	911 ADDRESSING (PUBLIC ACCESS)					
	101C.2	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 12, 15, 16, 20, 32	KEY FOB REQUIRED	911 ADDRESSING					
	101D.1	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 4, 11, 12, 15, 20, 28, 31	KEYED	CORNER (PUBLIC ACCESS)					
	101D.2	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 12, 15, 16, 20, 32	KEY FOB REQUIRED	CORNER					
	101E	3'-0"	7'-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 7, 11, 12, 15, 16, 28, 31	KEY FOB REQUIRED	CORNER STORAGE					
	101F.1	6'-0"	7'-0"	PNL-FG-AL	1 3/4"	DARK BRONZE	FRM-00AL(CW)	0"	0"	4 3/4"	DARK BRONZE			3, 5, 9, 10, 20, 21, 22, 24, 25, 26, 28, 29, 33	VESTIBULE (NORTH MAIN ENTRY)						
	101F.2	6'-0"	7'-0"	PNL-FG-AL	1 3/4"	DARK BRONZE	FRM-00AL(CW)	0"	0"	4 3/4"	DARK BRONZE			3, 5, 9, 10, 20, 25, 26, 28, 33	VESTIBULE						
	101G	3'-0"	7'-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 4, 11, 12, 15, 19, 27, 28, 32	OCCUPY INDICATOR	PUBLIC RR					
	102	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 12, 15, 16, 20, 28, 32	KEY FOB REQUIRED	LICENSE WORKSTATIONS (EMPLOYEE ENTRY)					
	102A	3'-0"	7'-0"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00AL(CW)	0"	0"	4 3/4"	PRIMED/ PT-1			4, 10, 12, 16, 20, 26, 28, 31	DOOR REMAINS UNLOCKED DURING OPERATION HOURS	LICENSE WAITING (PUBLIC ENTRY)					
	102B	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 11, 12, 19, 20, 28	PASSAGE HARDWARE	LICENSE TESTING					
102C	3'-0"	7'-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 11, 12, 15, 20, 28, 32	LICENSE SUPERVISOR							
102D	3'-0"	7'-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32	LICENSE STORAGE ROOM							
102E.1	3'-0"	7'-10"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00AL(CW)	0"	0"	4 3/4"	PRIMED/ PT-1			2, 7, 11, 12, 15, 16, 20, 28, 31	FINGER PRINTING							
102E.2	3'-0"	7'-10"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00AL(CW)	0"	0"	4 3/4"	PRIMED/ PT-1			2, 7, 11, 12, 15, 16, 20, 28, 31	KEY FOB REQUIRED	FINGER PRINTING (SECURE)						
103	3'-0"	7'-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 11, 12, 15, 28, 32	IT							
103A	3'-0"	7'-0"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 11, 12, 15, 20, 28, 32	IT OFFICE							
103B	3'-0"	7'-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 7, 11, 12, 15, 16, 28, 32	KEY FOB REQUIRED	SERVER ROOM						
103C	3'-0"	7'-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32	IT STORAGE							
104.1	3'-0"	7'-0"	PNL-FG-AL	1 3/4"	DARK BRONZE	FRM-00AL(CW)	0"	0"	4 3/4"	DARK BRONZE			2, 7, 11, 12, 15, 16, 20, 21, 22, 26, 28, 29, 31	KEY FOB REQUIRED	CORRIDOR (EMPLOYEE ONLY SECURE ENTRY)						

DOOR AND FRAME SCHEDULE - BUILDING																					
DOOR		DOOR PANELS				DOOR FRAME				DETAILS											
NUMBER	FIRE RATING (MIN)	TOTAL OF PANELS		PANEL TYPE	THK	FINISH	TYPE	FACE DIMENSIONS		DEPTH	FINISH	HEAD	JAMB	HARDWARE SET NOTES	COMMENTS	LOCATION					
		WIDTH	HEIGHT					JAMB WIDTH	HEAD HEIGHT												
104.2	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 11, 12, 15, 16, 20, 28, 31	KEY FOB REQUIRED	CORRIDOR (SECURE ENTRY FROM PUBLIC SIDE)					
104A	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 11, 12, 20, 28	PASSAGE HARDWARE	CONFERENCE					
104B	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 4, 11, 12, 15, 19, 27, 28, 32	OCCUPY INDICATOR	STAFF RR					
104C	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 4, 11, 12, 15, 19, 27, 28, 32	OCCUPY INDICATOR	STAFF RR					
104D	3-0"	7-0"	7-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32		JANITOR CLOSET/ STORAGE					
104E	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 11, 12, 15, 20, 28, 32		CHEMS					
105.1	3-0"	7-0"	7-0"	PNL-FG-AL	1 3/4"	DARK BRONZE	FRM-00AL(CW)	0"	0"	4 3/4"	DARK BRONZE			2, 7, 11, 12, 15, 16, 20, 21, 22, 26, 28, 29, 31	KEY FOB REQUIRED	CORRIDOR (EMPLOYEE ONLY SECURE ENTRY)					
105.2	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 11, 12, 15, 16, 20, 28, 31	KEY FOB REQUIRED	CORRIDOR (SECURE ENTRY FROM PUBLIC SIDE)					
105A	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 11, 12, 20, 28	PASSAGE HARDWARE	OPEN OFFICE					
105B	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32		BUILDING STORAGE					
105C	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 4, 11, 12, 15, 19, 27, 28, 32	STAFF RR						
105D	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 4, 11, 12, 15, 19, 27, 28, 32	STAFF RR						
105E	3-0"	7-0"	7-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32		STORAGE					
105F	3-0"	7-0"	7-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32	KEYED	ROOF ACCESS					
105G.1	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 11, 12, 20, 28	PASSAGE HARDWARE	CONFERENCE					
105G.2	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 11, 12, 15, 20, 28, 32	HR/PAYROLL	(INTO CONFERENCE)					
105H	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			1, 4, 11, 12, 15, 27, 28, 32	KEYED/ OCCUPY INDICATOR	WELLNESS					
105I	3-0"	7-0"	7-0"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00AL(CW)	0"	0"	4 3/4"	PRIMED/ PT-1			1, 11, 12, 20, 26, 28	PASSAGE HARDWARE	BREAK ROOM					
106.1	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 11, 12, 15, 16, 20, 28, 31	KEY FOB REQUIRED	HR/PAYROLL (SECURE ENTRY FROM PUBLIC SIDE)					
106.2	3-0"	7-0"	7-0"	PNL-N-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 7, 12, 15, 16, 20, 32	KEY FOB REQUIRED	HR/PAYROLL (EMPLOYEE ONLY SECURE ENTRY)					
106A	3-0"	7-0"	7-0"	PNL-F-WD	1 3/4"	PRIMED/ PT-1	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			6, 11, 12, 15, 28, 32		FILE ROOM					
106B	3-0"	7-0"	7-0"	PNL-FG-WD	1 3/4"	PRIMED/ PT-1 GLASS	FRM-00HM1	2"	2"	5 5/8"	PRIMED/ PT-1			2, 11, 12, 15, 20, 28, 32		HR DIRECTOR					
107	6-0"	7-0"	7-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-EX3	FRM-00HM1	2"	2"	7 11/16"	PRIMED/ PT-EX3			4, 6, 11, 12, 21, 22, 28, 29, 31		MDP					
108	3-0"	7-0"	7-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-EX3	FRM-00HM1	2"	2"	7 11/16"	PRIMED/ PT-EX3			11, 12, 12, 21, 22, 28, 29, 31		WATER SERVICE					
109	6-0"	7-0"	7-0"	PNL-F-HM	1 3/4"	PRIMED/ PT-EX3	FRM-00HM1	2"	2"	7 11/16"	PRIMED/ PT-EX3			4, 6, 11, 12, 21, 22, 24, 28, 29, 31		MECH/ELEC					

